Chapter 574 SITING AND OPERATION OF ROAD SALT AND SAND-SALT STORAGE AREAS

SUMMARY: This chapter describes the registration, siting, and operational requirements that salt and sand-salt storage areas must meet in order to be exempt from having to obtain a waste discharge license, pursuant to 38 M.R.S.A. §413(2-D).

- **1. Definitions.** As used in these rules the following terms have the following meanings. Other terms used in these rules have the meanings set forth at 38 M.R.S.A. §361-A.
 - A. Road salt and sand-salt storage area. Also referred to as "storage area" in this chapter. A facility that is used for the storage and handling of salt, sand-salt mixtures, and other solid deicing or dust control materials used on highways and other public and private ways, airport runways, sidewalks, and parking lots. A storage area includes all salt or sand-salt piles, any building or buildings in which these piles are contained, and all locations where storage, mixing, loading, unloading or other associated salt or sand-salt activities occur.
 - **B.** Significant sand and gravel aquifer. The area delineated by the Department of Conservation, pursuant to 38 M.R.S.A. §403(2) as the primary recharge area for a sand and gravel aquifer capable of yielding more than ten gallons per minute.
 - **C. Source water protection area.** The area delineated by the Maine Drinking Water Program for a public water supply or numerous public water supplies, whether the source is ground water or surface water or both, as part of the Maine Source Water Protection Program approved by the U.S. Environmental Protection Agency under Section 1453 of the Safe Drinking Water Act.

2. Applicability

- **A.** New storage area. A storage area registered with the Department by an owner or operators after October 1, 1999 is considered a new storage area and must comply with the registration, siting and operational requirements of this chapter regardless of whether the storage area existed prior to October 1, 1999. An owner or operator may be any person as defined at 38 M.R.S.A. §361-A(4).
- **B.** State and private Priority 4 and Priority 5 storage areas. Storage areas owned or operated by state or federal governments or other public or private entities and classified as Priority 4 or Priority 5 on the "Project Priority List for State and Private Sand/Salt Storage Areas" adopted by the Board of Environmental Protection on September 21, 2000 (Appendix A) must comply with the operational requirements of this chapter, as provided in 38 M.R.S.A. §413(2-D).

- **C. Exemptions.** The following storage areas are exempt from the requirements of this chapter.
 - (1) A storage area that contains 30 cubic yards or less of sand-salt mixture at any time.
 - (2) A storage area classified as Priority 1, Priority 2 or Priority 3 on the project priority lists adopted by the Board of Environmental Protection on or before September 21, 2000 and in compliance with the facility construction and operation schedule established in 38 M.R.S.A. §451-A(1-A). A facility is considered to be "in operation" as described in 38 M.R.S.A. §451-A(1-A)(E) when all salt and sand-salt piles at the storage area have been relocated to a building or buildings.
 - (3) A storage area owned or operated by a municipality or county and classified as Priority 4 or Priority 5 on the "Project Priority List for Municipal and County Sand/Salt Storage Areas" by the Board of Environmental Protection on either March 16, 2000 or September 21, 2000, as provided in 38 M.R.S.A. §451-A(1-A).
- 3. Registration and siting requirements for new storage areas
 - **A. Registration required.** The owner or operator of a new storage area shall register the storage area with the department.
 - **B. Siting requirements.** The following siting requirements apply to all new storage areas, unless a variance is granted by the department under the provisions of Section 6(A) of this chapter.
 - (1) The storage area may not overlie a significant sand and gravel aquifer.
 - (2) The storage area may not overlie a source water protection area.
 - (3) The storage area may not be located within 300 feet of a well, excluding any well that solely serves the storage area.
- 4. Operational requirements for new storage areas and for state and private Priority 4 and Priority 5 storage areas. The following operational requirements apply to both new storage areas and Priority 4 and Priority 5 storage areas owned or operated by state and federal governments and other public and private entities, as cited in Section 2(B), unless a variance is granted by the department under the provisions of Section 6(B) of this chapter.
 - **A. Pad.** All storage, mixing and loading of salt or sand-salt mixtures must occur on a floor or pad of hot bituminous concrete (i.e., asphalt) that is at least three inches thick. The pile or piles may not migrate off the pad.
 - **B.** Control of runoff. The storage area must be constructed so that runoff from areas outside the pad does not drain onto or across the pad.

- **C. Cover.** Salt and sand-salt piles must be covered. Covering is accomplished by one of the following methods.
 - (1) The construction of a building in which to house the pile or piles. The storage building must prevent rain and snow from contacting the pile or piles; or
 - (2) Covering with a well-secured, durable, waterproof product. The pile or piles must be completely protected from snow and rainfall at all times except for a working face at times of access. The pile or piles must be securely covered by May 31 of each year and not rebuilt on the site until September 1.
- **D.** Housekeeping. Salt that is not part of on-going mixing activities must be stored in a building or completely covered. All loose salt or sand-salt materials spilled during loading, unloading or mixing operations must be cleaned up as soon as practicable.
- **E.** Operations and maintenance plan. The owner or operators of a storage area shall have a written plan that addresses operation and maintenance procedures for the storage area. This plan must include, but is not limited to, the name and telephone number of the person in charge of the storage area, a description of scheduled repair and maintenance activities, protocols for delivery and for the clean-up of spilled salt or sand-salt mixtures, and erosion and stormwater runoff controls in building or pad access areas. Employees must be made aware of procedures in the plan. The plan must be made available upon request by representatives of the department.

5. Compliance Schedules

- **A.** New storage area. A person who owns or operates a new storage area must comply with the registration, siting and operational requirements of this chapter immediately upon commencement of salt or sand-salt storage, mixing, loading or unloading activities at the storage area.
- **B.** State and private Priority 4 and Priority 5 storage areas. A state or federal government or other private or public entity that owns or operates a Priority 4 and Priority 5 storage area, as cited in Section 2(B), must comply with the operational requirements of this chapter by October 1, 2002.
- **6. Variance.** The department may grant a site-specific variance from the siting or operational requirements in this chapter when it determines that doing so will not have an adverse impact on water quality or the environment.
 - **A. Variance from siting requirements.** Factors used in consideration of a variance from the siting requirements specified in Section 3(B) include, but are not limited to, whether homes or businesses in the area are serviced by a public water supply; whether the site is located in an area zoned for commercial or industrial development by the municipality; the proximity to a major river, marine waters or public water supply intake; and the availability of practicable alternative sites that meet the specified siting criteria.

B. Variance from operational requirements. Factors used in consideration of a variance from the operational requirements specified in Section 4 include, but are not limited to, the proximity to a major river or marine waters; and the ability to demonstrate control over and discharge location of stormwater runoff from the site.

AUTHORITY: 38 M.R.S.A. §413(2-D)

EFFECTIVE DATE:

APPENDIX A PROJECT PRIORITY LIST FOR PRIORITY 4 AND PRIORITY 5 STATE AND PRIVATE SAND/SALT STORAGE AREAS ADOPTED BY THE BOARD OF ENVIRONMENTAL PROTECTION, SEPTEMBER 21, 2000

| 1999 PRIORITY | <u>OWNERSHIP</u> | TOWN | COUNTY | <u>REMARKS</u> |
|------------------|------------------|---------------------------|--------------|-----------------------------------|
| 4 | DOT | Bar Harbor | Hancock | KEWAKKS |
| 4 | Private | Benton | Kennebec | Owner: M. Richards |
| 4 | Private | Brownville | Piscataquis | Owner: E. Gerrish |
| 4 | DOT | Calais | Washington | |
| 4 | Private | Camden | Knox | Owner: P. Laite |
| 4 | Private | Canaan | Somerset | Owner: T. Ames |
| 4 | DOT | Canton | Oxford | |
| 4 | DOT | Chain of Ponds Twp. | Franklin | |
| 4 | Private | Chelsea | Kennebec | Owner: M. Warren |
| 4 | Private | Comstock Twp. | Somerset | Owner: McDonald |
| 4 | DOT | Cornish | York | |
| 4 | DOT | Dixfield | Oxford | |
| 4 | DOT | Edgecomb | Lincoln | |
| 4 | DOT | Eustis | Franklin | |
| 4 | DOT | Fairfield | Somerset | |
| 4 | Private | Farmington | Franklin | Owner: K. Vining |
| 4 | DOT | Fryeburg | Oxford | |
| 4 | DOT | Ft. Kent | Aroostook | |
| 4 | Private | Ft. Kent | Aroostook | Owner: R. Morin |
| 4 | DOT/Town | Grand Lake Stream Plt. | Washington | Site shared by DOT and plantation |
| 4 | DOT | Jefferson | Lincoln | |
| 4 | Private | Johnson Mtn. Twp. | Somerset | Owner: Plum Creek/S. Robe |
| 4 | DOT | Kingfield | Franklin | |
| 4 | DOT | Limerick | York | |
| 4 | DOT | Linneus | Aroostook | |
| 4 | Private | Lobster Twp. | Piscataquis | Owner: McDonald |
| 4 | DOT/Town | Medway | Penobscot | Site shared by town and DOT |
| 4 | Private | Minot | Androscoggin | Owner: W.J. Hemond |
| 4 | DOT | Monson | Piscataquis | |
| 4 | Private | Nobleboro | Lincoln | Owner: N.C. Hunt |
| 4 | Private | Norridgewock | Somerset | Owner: A. Cochran |
| 4 | DOT | Paris | Oxford | |
| 4 | DOT | Presque Isle | Aroostook | |
| 4 | DOT/Town | Reed Plt. | Aroostook | Pile shared by town and DOT |
| 4 | Private | Rumford | Oxford | Owner: G. Casey |
| 4 | DOT | Shapleigh | York | |
| 4 | DOT | Shirley | Piscataquis | |
| 4 | Private | T4 R11 WELS | Piscataquis | Owner: Great Northern Paper |
| 4 | Private | T5 R17 WELS | Somerset | Owner: McDonald |

Chapter 574: Siting and Operation of Certain Road Salt and Sand-Salt Storage Areas

| 1999 PRIORITY | OWNERSHIP | TOWN | COUNTY | <u>REMARKS</u> |
|------------------|--------------|---------------|-------------|---|
| 4 | Private | T9 R8 WELS | Aroostook | Owner: Irving Woodlands |
| 4 | DOT | T14 R6 WELS | Aroostook | <u> </u> |
| 4 | Private | Veazie | Penobscot | Owner: B. Silver |
| 4 | DOT/Town | Vienna | Kennebec | Site shared by town and DOT |
| 4 | Private | Waldoboro | Lincoln | Owner: Osram Sylvania/K. O'Donnell |
| 4 | Private | Waterville | Kennebec | Owner: R. Pelotte |
| 4 | Private | Westport | Lincoln | Owner: R. Harrison |
| 4 | Private | Whiting | Washington | Owner: H & S Construction |
| 4 | DOT | Whiting | Washington | |
| | | | | |
| 5 | State | Augusta | Kennebec | AMHI grounds |
| 5 | DOT/Town | Avon | Franklin | Site shared by town and DOT |
| 5 | Private | Baileyville | Washington | Owner: Dicenzo/G. Hammond |
| 5 | DOT | Baileyville | Washington | |
| 5 | DOT | Bangor | Penobscot | |
| 5 | Federal/Town | Bar Harbor | Hancock | Owner: Acadia National Park/R. Hamel; park |
| | | | | maintains site at town location |
| 5 | DOT | Caribou | Aroostook | |
| 5 | DOT | Dallas Plt. | Franklin | |
| 5 | DOT | Eddington | Penobscot | |
| 5 | DOT | Ellsworth | Hancock | |
| 5 | DOT | Farmington | Franklin | West Farmington |
| 5 | DOT | Farmington | Franklin | Fairbanks |
| 5 | University | Farmington | Franklin | Owner: University of Maine |
| 5 | DOT | Ft. Fairfield | Aroostook | |
| 5 | Private | Gorham | Cumberland | Owner: D. Shaw |
| 5 | DOT | Gray | Cumberland | |
| 5 | Private | Hartland | Somerset | Owner: Irving Tanning/M. Kuhns |
| 5 | DOT | Hiram | Oxford | |
| 5 | DOT | Houlton | Aroostook | |
| 5 | DOT | Jay | Franklin | |
| 5 | DOT | Kennebunk | York | |
| 5 | Private | Lincoln | Penobscot | Owner: Lincoln Pulp and Paper/S. McCahill; Station Avenue |
| 5 | Private | Lincoln | Penobscot | Owner: Lincoln Pulp and Paper/S. McCahill; Park Street |
| 5 | Private | Madawaska | Aroostook | Owner: P. Fongemie |
| 5 | Private | Mexico | Oxford | Owner: A. Archibald |
| 5 | Private | Milo | Piscataquis | Owner: W. London |
| 5 | Private | Old Town | Penobscot | Owner: H.E. Sargent/L. Herbert |
| 5 | Private | Old Town | Penobscot | Owner: Fort James Corp./M. Curtis |
| 5 | University | Orono | Penobscot | University of Maine site |
| 5 | DOT | Rockport | Knox | |
| 5 | Private | Rumford | Oxford | Owner: W. Porter |
| 5 | DOT | Scarborough | Cumberland | |
| 5 | DOT | Searsport | Waldo | |

Chapter 574: Siting and Operation of Certain Road Salt and Sand-Salt Storage Areas

| 1999 | | | | |
|-----------------|------------------|---------------|---------------|-------------------------------|
| PRIORITY | OWNERSHIP | <u>TOWN</u> | COUNTY | <u>REMARKS</u> |
| 5 | Private | Skowhegan | Somerset | Owner: SAPPI/T. Griffin |
| 5 | Private | Skowhegan | Somerset | Owner: H. Austin |
| 5 | Private | Skowhegan | Somerset | Owner: E. Gilblair |
| 5 | Private | Waterville | Kennebec | Owner: D. Gurney |
| 5 | Private | Wilton | Franklin | Owner: G.H. Bass/W.J. Maillet |
| 5 | Private | Wilton | Franklin | Owner: D. Taylor |
| 5 | Private | Winter Harbor | Hancock | Owner: C. Whitten |
| 5 | Private | Woolwich | Sagadahoc | Owner: D. Holbrook |
| 5 | DOT | Yarmouth | Cumberland | |
| 5 | DOT | York | York | |
| | | | | |